

MINIKIN

Standard gel size: 10 (w) x 12 (l) cm

Allows variation of gel size in length, width and thickness

- ✓ Dual sided
- √ Runs one/ two/ three/ four gels at a time
- √ In-situ gel casting/ Casting stand
- ✓ Designed for effective gel cooling
- No sample loss due to uni-directional migration

✓ Gel thickness: 1/ 1.5 mm✓ Wells per gel: 12/ 16

✓ Buffer requirement: 1000 mL

√ 10% SDS-PAGE run in 1 hr 10 min



Minikin

Features of this apparatus

Leak Proof

- Gaskets made of silicone are tough & resilient
- Leaks from plastic joints are prevented as sticking is done with specially manufactured glues
- Leak proof patent pending gel casting stand

Rugged

- Breakage proof Teflon combs, & fibre-glass notched plate
- Electrodes do not break as they are thick & purity > than 99.9%
- No corrosion due to resin filled male connectors

High Resolution

- Sharper bands because of thin glass plates & deep tank
- Good cooling as entire gelsandwich is in contact with the buffer
- Low positioned electrodes stir buffer to cool gel

Error Minimization

- Migration of samples in wrong direction prevented due to unidirectional feature
- Wells formed straight as combs sit levelled with the spacers
- Run up to two gels at a time in the same system

Ready-to-use system includes 01-00000 01-00001 In situ casting/ Casting stand/ Uni-directional Uni-directional migration migration 1. Lower anodic tank Υ Υ Central electrode unit fitted with electrodes and gold plated male connectors Υ Υ Two resilient silicone gaskets with inserts for central electrode unit Υ Υ Two notched and two rectangular glass plate (square bottom) Υ Two notched and two rectangular glass plate (rounded bottom) Υ Four 1.5 mm thick, breakage resistant, slotted spacers Four 1.5 mm thick, breakage resistant, rounded spacers Υ Two PTFE comb (1.5 mm thick, 12 wells, est. vol. 112 µL/well) Four clamps with screws and a clamp opener Υ 10. Gel-casting stand for variable gel thickness and number Υ 11. C shaped rubber gasket for single gel of 1.5 mm Υ 12. Agarose dispenser for filling slot in spacers 13. Gel-sandwich opener Υ 14. Glass plate stand Υ 15. Vented lid for safety 16. Electrical cords with male & female connectors 17. Two buffer savers 18. Instruction manual



Ordering description

Minikin (01-00000): Vertical electrophoresis dual sided system of gel size 10 (w) x 12 (l) cm, with gold-plated male connectors, in situ gel casting, slotted spacers, uni-directional migration and capable of accepting four gels.

Minikin with casting stand (01-00001): Vertical electrophoresis dual sided system of gel size 10 (w) x 12 (l) cm, with gold-plated male connectors, casting stand with 'C' shaped gasket for agarose free gel casting, rounded spacers, uni-directional migration and capable of accepting four gels.

SUGGESTION

Order along with ready-to-use system

A set of notched fibreglass plates, rectangular glass plates and gel detacher (01-29121), Comb with 16 wells (01-14161/2), Acrylic dam (01-27144)

Minikin and its spares and accessories

| Item Description | Cat. No. | Unit |
|--|----------|--------|
| Minikin, ready-to-use system for uni-directional migration | 01-00000 | System |
| Minikin, ready-to-use system for uni-directional migration with casting stand | 01-00001 | System |
| Clamps 13 (I) cm with screws (2 No.) | 01-05130 | Set |
| Clamps 13 (I) cm with screws for gel partitioning spacers (2 No.) | 01-05131 | Set |
| Screws for clamps (6 No.) | 01-06209 | Packet |
| Clamp opener | 01-07152 | Piece |
| Resilient silicone gaskets with inserts for central electrode unit (2 No.) | 01-09354 | Piece |
| Comb 1 mm thick, PTFE, 12 wells, 15 mm deep, est. vol. 75 µL/well | 01-14121 | Piece |
| Comb 1.5 mm thick, PTFE, 12 wells, 15 mm deep, est. vol. 112 µL/well | 01-14122 | Piece |
| Comb 1 mm thick, PTFE, 16 wells, 15 mm deep, est. vol. 45 µL/well | 01-14161 | Set |
| Comb 1.5 mm thick, PTFE, 16 wells, 15 mm deep, est. vol. 66 µL/well | 01-14162 | Piece |
| Spacers, slotted, 1 mm thick, breakage resistant (two pairs) | 01-17131 | Set |
| Spacers, slotted, 1.5 mm thick, breakage resistant (two pairs) | 01-17132 | Set |
| Spacers, preparative, slotted, 3 mm thick, 13 (I) cm | 01-17134 | Piece |
| Spacers, gel partitioning, 1 mm thick, 12 (I) cm (2 No.) | 01-18131 | Set |
| Spacers, gel partitioning, 1.5 mm thick, 12 (I) cm (2 No.) | 01-18132 | Set |
| Spacers, plain with one edge rounded, 1 mm thick, (two pairs) length 13 cm | 01-18133 | Set |
| Spacers, plain with one edge rounded, 1.5 mm thick, (two pairs) length 13 cm | 01-18134 | Set |
| Notched and rectangular glass plates, 14 (w) x 13 (l) cm (two of each) | 01-28122 | Set |
| Notched and rectangular glass plates, 14 (w) x 13 (l) cm (two of each) rounded bottom edges for use with rounded spacers | 01-28123 | Set |
| Rectangular glass plates, 14 (w) x 13 (l) cm (four) | 01-28132 | Set |
| Rectangular glass plates, 14 (w) x 13 (l) cm (four) rounded bottom edges for use with rounded spacers | 01-28133 | Set |
| Acrylic dam (14 x 14 cm) | 01-27144 | Piece |
| Notched fibreglass plates [breakage resistant] (2 No.), rectangular glass plates (2 No.) and gel detacher (one) | 01-29121 | Set |
| Notched fibreglass plates [breakage resistant] (2 No.), rectangular glass plates (2 No.) rounded bottom edges for use with rounded spacers, and gel detacher (one) | 01-29122 | Set |
| Gel-detacher for fibreglass plate | 01-30115 | Piece |
| Gel-casting stand with binder clips | 01-33125 | Piece |
| Dual gel-casting stand, for variable gel thickness and number, for agarose free sealing, which fits 1-4 gels | 01-33100 | System |
| Dual gel-casting stand, for upto 2 gels, with agarose free sealing | 01-33010 | System |
| Dual gel-casting stand, for upto 4 gels, with agarose free sealing | 01-33020 | System |
| C shaped rubber gasket (for single gel of 1 mm) for use with Gel casting stand for agarose free sealing (2 nos.) | 01-33009 | Piece |
| C shaped rubber gasket (for single gel of 1.5 mm) for use with Gel casting stand for agarose free sealing (2 nos.) | 01-33109 | Piece |



| Item Description | Cat. No. | Unit |
|--|----------|-------|
| C shaped rubber gasket (for dual gel of 1 mm) for use with Gel casting stand for agarose free sealing (2 nos.) | 01-33010 | Piece |
| C shaped rubber gasket (for dual gel of 1.5 mm) for use with Gel casting stand for agarose free sealing (2 nos.) | 01-33110 | Piece |
| Glass plate stand | 01-35104 | Piece |
| Buffer savers (2 No.) | 01-37981 | Set |
| Gel-sandwich opener | 61-30257 | Piece |
| Agarose dispenser for filling slot in 1 mm spacer | 62-36201 | Piece |
| Agarose dispenser for filling slot in 1.5 mm spacer | 62-36182 | Piece |
| Electrical cords with gold plated male & female connectors designed for user safety | 66-41124 | Pair |
| Gradient mixer with triple-barrel and plunging stopper. Volume per chamber 14mL. Accommodates magnetic spin-bar of ≤ 10 mm length | 67-50167 | Piece |
| Penta-legged levelling table (21 x 21 cm) with spirit-level | 69-41219 | Set |
| Minikin, CEU. Replacement part for single sided system of gel size 10 (w) x 12 (l) cm, with male connector | 01-01000 | Piece |
| Minikin, tank. Replacement part for single sided system of gel size 10 (w) x 12 (l) cm, with male connector | 01-02000 | Piece |
| Minikin, lid. Replacement part for vertical electrophoresis dual sided system | 01-02010 | Piece |